



### CONTENT

3	MODULARIZE
5	3 YEAR GUARANTEE
7	PRODUCT RANGE
9	CARE & MAINTENANCE
13	COLOURS & DECORS
31	AVAILABILITY GUIDE
35	CASE STUDY
59	PRICELIST

# MODULAR + MADE TO MEASURE)

### Your solution to quality built-in furniture

E<sup>a</sup>.SPACE Modularize Built-In Furniture is simply a modern and flexible way to design your dream home with a variety of cabinets meant for different functions that comes in "modules". A modularized built-in furniture is highly customisable, allowing you to select the cabinet layout and type to meet your specific purpose.

Using E<sup>3</sup>.SPACE's advance imos CAD / CAM software, it allows us to customize the width of all our modules accurately per millimetre to adapt to your available space.

### We call this the "Modularize" system.

The Modularize system allows designs to meet the demands and expectations of our customers, complementing the space to suit their needs, making the best use of space available. Besides functionality, it provides sleek, perfect and neat structure. The utilization of straight cuts gives a modern yet exquisite look.

#### Customisation of Living Spaces

. Living . Kitchen . Bedroom . Bathroom .

### **3-YEAR DECLARATION OF GUARANTEE**

#### 1. General:

We grant our business partners a 3-year guarantee.

#### 2. Benefits under the guarantee:

Claims based on the guarantee may be lodged by business partners. None of the rights in the following declaration may be transferred.

### 3. Guarantee validity:

Guarantee period begins on the date of invoice to our business partners.

#### 4. Scope of guarantee:

The guarantee covers defects and damages attributable to manufacturing and material defects, and faulty workmanship. In this case, we shall assume the material costs incurred by the reparation, depending on the upstream suppliers and if they are able to supply the original replacement parts. Assembly damage, wear and tear, and water damage or any age-related consequential costs are excluded.

#### 5. Exclusion:

The guarantee does not apply to products that have been stored or assembled incorrectly, abused, misused, used inappropriately, or cleaned with the wrong cleaning methods or products. Any entitlement for replacement shall expire in the event of an unauthorized modification of the parts supplied by us. In a case of accessories supplied by suppliers, i.e electrical appliances, lightings, fittings, handles and knobs, the warranty provision of the respective manufacturer shall apply. The guarantee does not extend to wearing parts, cuts or scratches, damage caused by impacts or accident, fragile parts like glass, plastic or parts made of rubber, and damages and defects resulting from incorrect operation. The only exception shall be if the defects and damages are attributable to manufacturing and materials defects or faulty workmanship. The guarantee does not extend to personal injury and subsequent defects.

### 6. Expiry of the guarantee:

The right of the claim under quarantee shall expire if repairs or modifications are carried out by persons not authorized by the manufacturer. The guarantee shall expire completely if there is a failure to comply with the individiaul requirement contained in the guarantee provisions.

#### 7. Guarantee claims:

The damage should be eliminated exclusively by our business partners. We must be notified without delay in the event of a defect or damage resulting in liability under this guarantee. The partners shall provide a detailed description of the damage. The partners shall undertake any and all measurements to clarify the claim. This means that the partner must answer all our questions truthfully and in full. If a guarantee claim is confirmed, we shall provide the partner with corresponding replacement materials. In the event of a claim under the quarantee, we will provide the partner with the appropriate replacement materials free of charge. Guarantee-replaced items do not prolong the term of guarantee nor do they start a new term of guarantee. The terms of the guarantee for single item/replacement items ends with the general term of guarantee of the complete built-in furniture.

### 8. Geographical scope:

The guarantee shall apply in all countries in which business partners are domiciled.

9. Applicable Law: Guarantee claims shall be governed by Singapore law.

### **10.** Care Instructions:

For the guarantee to remain valid, please follow the specific care instructions which can be found on our website at www.ecubespace.com.sg





Melame MFC Decor Panels are manufactured using EGGER Eurodekor MFC that meets the E1 class standards and abides by the Formaldehyde emission of JP 0.3 (F\*\*\*\*). Its Formaldehyde emission is currently at 0.03ppm, making it the lowest specification offered in the current market. These materials are also coupled with moisture-resistance capabalities for application on high humidity environment.

Melame MFF Decor Panels are manufactured using EGGER Eurodekor MFF and is categorised under emission class CARB P2 = 0.12ppm\*, which abides by the California Air Resource Branch (USA Standards). The Vivid High Gloss Acrylic Panels' core material also utilizes Medium Density Fibreboards (MDF) that also falls under CARB P2.

\*ppm stands for parts per million



CARB P2

The range of EGGER Eurodekor MFC used for Melame MFC Decor Panel are Green Label certified under the Singapore Green Labelling Scheme. This supports EGGER's claim of being environmentally friendly to prevent the abuse of green-washing.



The Eurodekor MFC/MFF are characterized by their hygienically-sealed surfaces. On top of having an anti-bacterial effect, they are also generally easy to clean and can be disinfected well.



to provide consumers with eco-friendly products.



Following the sustainability philosophy, our Melame MFC Decor Panels uses 30% of recycled wood and co-products which contributes to conservation resources and improved economic efficiency.

Seamless Edgebanding Technology Our range of Vivid High Gloss Acrylic Panel and Melame MFF Decor Panel uses hot air edgebanding technology on all-formed front edges.


Oualitu Pros

Seamless edge (Zero Join Lines), optimal protection against moisture ingress, and stronger bonding strength.



Our raw materials supplier for Melame MFC/MFF, EGGER, are FSC and PEFC certified, governing their corporate social responsibility and sustainability

### **PRODUCT RANGE**



#### Vivid Series: High Gloss Acrylic Panel

Comprises of a Medium Density Fibreboard (MDF) in CARB P2 formaldehyde emission rating, laminated on both sides with co-extruded thermoplastic-foils (PMMA/ABS) using PUR adhesive. Edges are finished with 1mm (ABS/PVC) thermoplastic edgeband that matches the surface colour, in gloss effect, using hot air technology to achieve a seamless joint line.



#### MELAME Series: PerfectMatt MFF Decor Panel

Melamine resin coated MDF boards with a surface-matching finish (surface in supermatt, back in matching colour texture smoothtouch matt), utilizing CCI UV coating technology that stands out from conventional lacquered boards. It also comes in anti-fingerprint properties, supplied by EGGER called PerfectSense lacquered boards. Its formaldehyde emission is rated CARB P2, with all sides finished with matching edgeband, in matt effect, using hot air technology to achieve seamless joint lines. Materials comply with standards of EN 14323.

MFF DECOR PANEL



### **MELAME Series: MFC Decor Panel**

Supplied by EGGER, Melame MFC Decor Panel is the name for wood-based panels that are coated with a decor paper soaked in melamine resin. Melamine comes in varying thickness to provide a wide range of application for furniture and interior design. It is rated JP FO.3 (F\*\*\*\*) under the Japanese Formaldehyde Emission standard, and is also the lowest emission offered in the market. It is coupled with moisture-resistant properties for application in high humidity areas. All sides are finished with 0.5mm or 1mm PVC/ABS matching edgeband. Materials comply with standards of EN 14323.

### AluGlass Series: Aluminium Framed Glass Panel

AluGlass is a customed aluminium framed glass panel. It utilizes high quality aluminium profile in sleek designs that comes in a variety of colour powder-coated selection, providing endless design possibilities when combined with numerous glass shades.

### ALUMINIUM FRAMED GLASS PANEL

ANEL

### MATERIAL LIMITATION

### Vivid High Gloss Acrylic Panel/MELAME Series: PerfectMatt MFF Decor Panel

(Surface defect according to AMK-MB-009)

On an even surface, defects must not be apparent at a distance of 0.7m. When surface without any defects cannot be realized, small flaws and irregulaties in the surface are admissable. Surface defects are greater than 1 millimetre square and are recognized when examining the surface at a distance of 0.7m, at an angle of about 30 degree. Maximum allowed is 1 defect per square metre. The following framework condition apply:

- 1. Viewing distance: 700m
- 2. Lighting intensity: 1000 2000 lx
- 3. Inclination angle: 30degree to vertical
- 4. Type of light (daylight, colour temperature): D65, 6500K
- 5. Viewing duration: 20 sec max

### MATERIAL LIMITATION

### MELAME Series: MFC Decor Panel

The wood pattern with reproduction at the fronts can misalign within the cupboard fronts. Reclamations due to misaligned wood and structure pattern are not warrantied.

### Glass

Glass is made of natural raw ingredients. As such, some slight variation in colours cannot be avoided even if the terms in question are part of the same production batch.

### CARE **& MAINTENANCE**

### **MELAME MFC/MFF DECOR PANEL**

Due to its anti-bacterial properties, Melame MFC/MFF Decor Panels do not require any special maintenance. The surface is generally easy to clean.

The recommended cleaning methods according to the degree of soiling are as follows:

### 1. Light, Fresh Soiling:

Clean with paper towel, a soft cleaning cloth (wet/dry) or a sponge. If using a damp cloth, dry the surface with an absorbent paper or microfiber coth.

### 2. Normal Soiling:

Clean with warm water, a clean rag or a microfiber cloth. Use normal domestic cleaners or soaps that has no abrasive ingredients. Then wipe with fresh water, removing all traces of the cleaning agent to prevent streaks forming. Dry surface with a clean, absorbent cloth or paper towel.

### **HOW TO AVOID STREAKS**

Streaks are often formed when the surface is cleaned with organic solvent together with cold water or old cloths. To prevent streaks forming, we recommend wiping surfaces down with warm water and then drying it using normal paper towels or microfiber cloth.

### VIVID HIGH GLOSS ACRYLIC PANEL

Vivid High Gloss Acrylic Panel comes with a protective film when initially supplied. This should only be removed when all work in the area is completed. Once the film is removed, it initiates a "curing" process which takes approximately 72 hours before its surface completely hardens. It is during this period that the surface is most vulnerable to micro scratches if cleaning is done incorrectly. The removal of the film also creates static charge which can attract abrasive materials to its surface.

### **BEFORE USE**

We recommend that you adhere to the following procedure upon removal of the protective film:

1. Use Vivid Series Plastic Clean & Shine, or Novus 1 Clean & Shine: Shake well and lightly spray onto the surface of the panel.

2. Use Microfiber cloth: Wipe using a light circular motion.

This will remove any residue left from the protection film and shorten the "curing" duration.

### $\otimes$ WHAT TO AVOID $\otimes$

Under no circumstance should any of the products below be used to clean the Vivid High Gloss Acrylic **Panel surface:** 

- 1. Alcohol-based cleaners
- 2. Solvent-based cleaners
- 3. Abrasive cleaners
- 4. Acetone
- 5. Turpentine
- 6. Petrol, pinewood and oil-based cleaners
- 7. Glass cleaners
- 8. Non-Microfiber cloths

### **ONGOING MAINTENANCE**

We recommend using Vivid Series Plastic Clean & Shine; a powerful cleaning solution which is supplied together for the maintenance of the Acrylic panel. It is also available for purchase from our sales executive.

The Vivid Series Plastic Clean & Shine:

1. Acts as a powerful cleaner that does not damage the surface.

2. Removes static from the surface.

3. Leaves a coat of polymer that aids the curing process and acts as an invisible layer against fine scratches.

4. Is fingerprint resistant.

Alternatively, we recommend Novus 1 Plastic Clean & Shine, which has similar properties to Vivid Series Plastic Clean & Shine, that can be purchased at **DIY shops.** 



### **CLEANING OF DEEP** SURFACE TEXTURE (NATURALWOOD):

The deeper surface structure of NaturalWood may seem more vulnerable when it comes to staining. However, laboratory tests show that it has similar high levels of stain resistance like all other Melame MFC Decor Panels.

The cleaning motion should follow the direction of the surface structure. In general, the abovementioned advice regarding the cleaning of Melame MFC/MFF Decor Panels is applicable to NaturalWood.

### **Get creative with us** and discover your ideal colour combination:

11





At E<sup>3</sup>.SPACE, we understand that long lasting built-in furniture is closely linked to premium raw materials. Which is why we provide the finest quality MFC/MFF Eurodekor raw boards from EGGER international.

Besides reliabilities, this material also provides a healthier indoor living space for your loved ones, all thanks to its highest set standards of ultra-low formaldehyde emission. The MFC Eurodekor raw boards also complies with the Singapore Green Label Certification.

# COLOURS **& DECORS**





Eurodekor JP F (0,3 mg/L) Japanese standard JIS, A 5908:2003 Type 13 M



California Air Resource Branch (U.S.A standard) P2 = 0.12ppm



Singapore Green Labelling Scheme (SGLS)



Antibacterial Surface Property



Seamless Edgebanding Technology



Ultra High Moisture Resistance

### **PARTNERED WITH:**




### FORMALDEHYDE EMISSION

Formaldehyde is a colourless gas with a pungent odour that is found in many products including plywood, blockboards and composite wood products commonly used to produce built-in furniture like kitchen and wardrobe. Formaldehyde emission in these built-in furniture can sometimes be found to be 10 times higher than the acceptable limit.

As a result, homeowners experience short term consequences of formaldehyde emission such as watery eyes, headaches, nausea, cough, breathlessness, insomnia, respiratory and skin irritation when moving into their newly-renovated house.

Plywood and particle board can continually release formaldehyde for the entirety of their lifespan, allowing it to linger in the air for a long period of time especially in an area with poor ventilation. This poses a bigger health hazard especially to children, pregnant women and the elderly. Research studies also suggest that long term exposure to formaldehyde may increase the risks of cancer.







Room Door





Carcass



Moisture Resistance (MUF Grade)



Non-Moisture Resistance (UF Grade)



Edgeband





End-Grain Edgeband

Synchronised Woodgrain




PerfectMatt Surface with Smoothtouch Matt Backer texture



### MELAME MFC DECOR PANEL

💷 🖉 🍥 🧭 🚺 L2800 x W2070





Platinum Grey Metallic



### MELAME MFC DECOR PANEL














### Natural Halifax Oak






### MELAME MFC DECOR PANEL













































### MELAME MFF DECOR PANEL

CARE P2 🚫 🐺 🤝 🌀 🎹 L2800 x W2070



SME302	<u>↓</u> 10 18 36mm	SME305	<u>↓</u> 18   36mm
		1 1 2 1 3 3 5 T	- 101 ( St 100 10
Stone Grey Matt		Light Grey Chicag	go Concrete Matt









### **MELAME MFC DECOR PANEL**

💴 🗐 🎯 🚺 🗐 🎞 L2800 x W2070



SE501	<u></u> 8 18 25 36mm	SE507	<u></u> * 8 18 25 36mm	SE511	<u></u> 8 18 25 36mm
Premium White		Lava Grey		Diamond Grey	
SE504	<u>*</u> 8 18 25 36mm	SE509	<u>*</u> 8 18 25 36mm	SE512	<u></u> 18 36mm
Cashmere Grey		Soft Black		Apricot Nude	
SE506	<u></u> 8 18 25 36mm	SE510	<u>*</u> 8 18 25 36mm	SE513	<u></u> 18 36mm
Truffle Brown		Pearl Grey		Caramel Nude	



SE514	<u>*</u> 18 36mm
Garnet Red	

### SE515

Denim Blue

### SE516

<u>+</u>18|36mm

<u></u> **1**8 | 36mm

Tyrolean Blue





SE518	<u></u> 18 36mm
Fjord Green	





### VIVID HIGH GLOSS ACRYLIC PANEL

CARR P2 555 550 500 Amm Amm L2440 x W1220


### Eligere


ES231	<u>*</u> 19 25 36mm	ES237	<u>*</u> 19 25 36mm
Natty		Spruce	

ES232	<u>↓</u> 19 25 36mm	ES238	<u>↓</u> 19 25 36mm
Splendid		Olive	

ES234	<u></u> 19 25 36mm	EM261	<u>+</u> 19 25 36mm
Coupling		Chalice	










# AQUAMAX DECORATIVE MICALITE



<b>PU763 ST9</b> <u>+</u> 5 18mm	PH1714 ST9	<u></u> + 5 18mm
		Constant of
Pearl Grey	Lincoln Walnut	

<u>+</u> 5 | 18mm







### MELAME MFC/MFF DECOR PANEL/EDGEBAND

SUPPLIER	COLOUR	DECOR	DECOR NAME	CC	MPLET	ED PAN	EL		ED	GEBA	ND
	THICKNESS/mm $→$				18	25	36	SPEC	0.5	0.6	1
	PANEL SIZE/mm				00 W2	070	L2440 W1220		W 100	W 60	W 46
		SME301Δ	ALPINE WHITE MATT	≑10√	✓		•	CARB (P2)		✓	
		SME302A	STONE GREY MATT	≑10✔	~		•	CARB (P2)		✓	
		SME303Δ	LAVA GREY MATT	≑10√	✓		•	CARB (P2)		1	
		SME304Δ	BLACK MATT	≑10✔	✓		•	CARB (P2)		1	
EGGER	and the second	SME305Δ	LIGHT GREY CHICAGO CONCRETE MATT		✓		•	CARB (P2)			
	EFER	SME306∆	LIGHT CONCRETE MATT		✓		•	CARB (P2)			
		SME307Δ	SILVER GREY METAL SLATE MATT		✓		•	CARB (P2)			
		SME308Δ	BLACK GOLD METAL SLATE MATT		✓		•	CARB (P2)			
		SE501	PREMIUM WHITE	1	✓	*	•	(F****)/MR	1		~
		SE504	CASHMERE GREY	1	✓	1	•	(F****)/MR	4		✓
		SE506	TRUFFLE BROWN	1	✓	1	•	(F****)/MR	1		•
		SE507	LAVA GREY	<b>v</b>	✓	*	•	(F****)/MR	4		•
		SE509	SOFT BLACK	1	✓	*	•	(F****)/MR	1		•
		SE510	PEARL GREY	<b>v</b>	✓	4	•	(F****)/MR	4		✓
		SE511	DIAMOND GREY	<ul> <li>✓</li> </ul>	✓	1	•	(F****)/MR	1		✓
		SE512	APRICOT NUDE		✓		•	(F****)/MR			✓
		SE513	CARAMEL NUDE		✓		•	(F****)/MR			•
		SE514	GARNET RED		✓		•	(F****)/MR			•
		SE515	DENIM BLUE		✓		•	(F****)/MR			✓
		SE516	TYROLEAN BLUE		✓		•	(F****)/MR			•
		SE517	INDIGO BLUE		✓		•	(F****)/MR			•
EEGGER		SE518	FJORD GREEN		✓		•	(F****)/MR			✓
		SE519	AMAZON GREEN		✓		•	(F****)/MR			✓
SteenLag		ME201	BRUSHED BRASS METALLIC		✓		•	(F****)/MR			✓
		ME202	PLATINUM GREY METALLIC		✓		•	(F****)/MR			1
041-108-3395		ME203	INDIGO BLUE METALLIC		✓		•	(F****)/MR			4
Made From Recycled Material	<b>MORE A</b>	WE704	DARK BROWN CHARLESTON OAK	<ul> <li>✓</li> </ul>	✓		•	(F****)/MR	1		✓
		WSE910	NATURAL PACIFIC WALNUT	✓	✓	*	•	(F****)/MR	4		✓
	ELEANT	WSE911	NATURAL HICKORY	<ul> <li>✓</li> </ul>	✓	*	•	(F****)/MR	1		✓
	· 医水子 /	WSE912	BROWN KANSAS OAK	<b>v</b>	✓	✓	•	(F****)/MR			✓
		WSE913	NATURAL DIJON WALNUT	<ul> <li>✓</li> </ul>	✓	✓	•	(F****)/MR	1		✓
		WSE915	BLACK BROWN SORANO OAK	✓	✓	~	•	(F****)/MR	1		1
	1. March 6	WSE916	NATURAL BROWN BRANSON ROBINIA		✓		•	(F****)/MR			4
		WSE917	TRUFFLE BROWN BRANSON ROBINIA		✓		•	(F****)/MR			1
		WSE918	LINCOLN WALNUT	<ul> <li>✓</li> </ul>	✓	*	•	(F****)/MR	1		~
		WSE919	TRUFFLE BROWN DAVOS OAK		✓		•	(F****)/MR			✓
		WSE920	BEIGE GREY LORENZO OAK	<ul> <li>✓</li> </ul>	✓	*	•	(F****)/MR	1		~
	ALL OT	WSE921	NATURAL KENDAL OAK		✓		•	(F****)/MR			✓
	1221	WSE922	NATURAL NEBRASKA OAK		✓		•	(F****)/MR			1
	A GO AL N	WSE923	NATURAL LANCASTER OAK		✓		•	(F****)/MR			✓

△ PERFECT MATT SERIES ● AVAILABLE ✓ ON STOCK

# AVAILABILITY GUIDE

✓ WHILE STOCKS LAST

		2/10/1							_		
SUPPLIER	COLOUR	COLOUR DECOR DECOR NAME COMPLETED PANEL							ED	GEBA	ND
	THICKNESS/mm <u>↓</u>			8	18	25	36	SPEC	0.5	0.6	1
		PANEL S	IZE/mm	L28	800 W2	070	L2440 W1220		W 100	W 60	W 46
		WSE924	NATURAL CORBRIDGE OAK		1		•	CARB (P2)			1
		WSE925	NATURAL CARINI WALNUT	✓	1	<b>v</b>	•	CARB (P2)			1
EGGER		NWE601∞	SAND GLADSTONE OAK	1	*	<b>v</b>	•	CARB (P2)	<b>√</b> +		<b>√</b> +
	HHH	NWE606 ∞	TOBACCO GLADSTONE OAK	4	1	<b>v</b>	•	CARB (P2)	<b>√</b> +		<b>√</b> +
		NWE608 ∞	WHITE GLADSTONE OAK	1	1	1	•	CARB (P2)			<b>√</b> +
Steen alt	13 16	NWE611 ∞	WHITE HALIFAX OAK	1	1	1	•	CARB (P2)	√+		<b>√</b> +
Eleanoit.	F II Bea	NWE612 ∞	NATURAL HALIFAX OAK	1	1	1	•	CARB (P2)	√+		<b>√</b> +
041-108-3395	e na stal	NWE613 ∞	TOBACCO HALIFAX OAK	✓	1	<b>v</b>	•	CARB (P2)	<b>√</b> +		<b>√</b> +
Made From Recycled Material	<b>Entrana</b> n	NWE615 ∞	BROWN TOSSINI ELM	1	1	1	•	(F****)/MR			<b>√</b> +
	18 1 12 1 14	NWE616 ∞	GREY BEIGE TOSSINI ELM	1	1	1	•	(F****)/MR			<b>√</b> +
	N. L. WER	NWE617 ∞	ANTHRACITE SHERMAN OAK		1		•	(F****)/MR			<b>√</b> +

### MELAME MFC/MFF DECOR PANEL/EDGEBAND

AVAILABLE	V ON STOCK	✓ WHILE STOCKS LAST

 $\boldsymbol{\varpi} \text{ SYNCHRONISED WOODGRAIN TEXTURE}$ 

### VIVID HIGH GLOSS ACRYLIC PANEL

			V						
SUPPLIER	COLOUR	DECOR	DECOR NAME	ACRYLIC SHEET	PRESSED PANEL	COMF	PLETED P	ANEL	
	THICKNE	ESS/mm 🕂		0.8	4	19	25	36	SPEC (MDF CORE)
	PANEL	. SIZE/mm			L2440 W1220				
		ES231	NATTY	✓	✓	✓	•	•	CARB (P2)
		ES232	SPLENDID	4	4	✓	•	•	CARB (P2)
		ES234	COUPLING	4	<b>√</b>	✓	•	•	CARB (P2)
_		ES237	SPRUCE	4	✓	✓	•	•	CARB (P2)
Eligere		ES238	OLIVE	✓	4	<b>√</b>	•	•	CARB (P2)
<u> </u>		EM261	CHALICE	✓	✓	✓	•	•	CARB (P2)
	Stars - St	EM262	METIER	✓	✓	<b>v</b>	•	•	CARB (P2)
		EM263	MAVEN	4	4	1	•	•	CARB (P2)
		EM264	AURUM	✓	✓	✓	•	•	CARB (P2)

SUPPLIER

SPEC

MICALITE 🔞

COLOUR

DECOR

PU763

PU963

PH1137

PH1714

PH3146

ULTRA HIGH MOISTURE RESISTANCE

ST

ST9

ST9

ST22

ST9

ST9

### AQUAMAX DECORATIVE LAMINATE PANEL/EDGEBAND

DECOR NAME	COMPLET	GEBA	١D		
THICKNESS/mm 🗼	5	T) x 10	0 (W)		
PANEL SIZE/mm	L2440 W1220 (L) (L) 25m 50r				(L) 100m
PEARL GREY	✓	✓	✓	✓	<ul> <li>✓</li> </ul>
DIAMOND GREY	✓	✓	✓	✓	<ul> <li>✓</li> </ul>
BLACK BROWN SORANO OAK	✓	✓	<ul><li>✓</li></ul>	✓	<b>v</b>
LINCOLN WALNUT	✓	✓	✓	✓	<b>v</b>
BEIGE GREY LORENZO OAK	✓	✓	<ul><li>✓</li></ul>	✓	<b>v</b>

34

✓ ON STOCK



### **KITCHEN**

The kitchen is often the heart of the home. It is a place where family and friends come together to create lasting memories over a delicious set of meals.

At E<sup>3</sup>.SPACE, we aim to help you design the kitchen of your dreams.





















Estimate cost reference



### Total m<sup>2</sup>










Hardware & Labour C. S\$ 2,325



<sup>Е</sup> S\$ 7,883 WL1304 5\$ 1,724 SL1001 S\$ 3,834 Hardware & Labour C. \$\$ 2,325








Floor Plan




Elevation 🍙

Floor Plan



### Estimate cost reference



### Total m<sup>2</sup>













<sup>е</sup> S\$ 5,440 WL1304 5\$ 1,145 WL1304 S\$ 2,577 Hardware & Labour C. 5\$ 1,718






50± 900

2000

### Total m<sup>2</sup>






#### Estimate cost reference

A	S\$ 7,431	WSE920 S\$ 1,483	SE504 S\$ 3,592	✻	Hardware & Labour C. S\$ 2,356
B	S\$ 7,813	NWE601 S\$ 1,865	SE504 S\$ 3,592	℅	Hardware & Labour C. S\$ 2,356
C	S\$ 7,676	ME201 S\$ 1,606	WSE920 S\$ 3,714	℅	Hardware & Labour C. S\$ 2,356
D	S\$ 10,305	SME301 S\$ 3,294	NWE601 S\$ 4,655	⅔	Hardware & Labour C. S\$ 2,356
E	S\$ 6,837	WL1304 5\$ 1,293	WL1304 5\$ 3,188	×	Hardware & Labour C. S\$ 2,356



**Top View** Dimensions: 4450 x 2500mm



Elevation 🚸

Floor Plan

Floor Plan



### Estimate cost reference









D SME301 1 1 5\$ 3,144 NWE601 S\$ 3,450

Hardware & Labour C. S\$ 981





Para


### WARDROBE


Building a proper wardrobe is like building a home We should think of it like a home, because it's something we're going to live in.

Here at E<sup>s</sup>.SPACE, we design built-in wardrobes that cater to your every need, with your quality of life as our top priority.









### Estimate cost reference

A <b>S\$ 3,892</b>	WSE920 U U S\$ 464	SE504 5\$ 2,126	≫	Hardware & Labour C. S\$ 1,303
в S\$ 4,085	ME201	WSE920 S\$ 2,279	℅	Hardware & Labour C. S\$ 1,303
c <b>S\$ 5,195</b>	SME301 U U S\$ 1,031	NWE601 5\$ 2,861	✻	Hardware & Labour C. S\$ 1,303
□ <b>S\$ 3,469</b>	WL1304 \$\$ 405	SL1001 S\$ 1,761	≫	Hardware & Labour C. S\$ 1,303

### Total m<sup>2</sup>




drawer ins









▲ <b>S\$ 3,081</b>	W N N S	VSE920 \$ 456	SE504 S\$ 2,108	≫	Hardware & Labour C. S\$ 517
в <b>S\$ 3,198</b>	N N S	WE601 \$ 573	SE504 S\$ 2,108	℅	Hardware & Labour C. S\$ 517
c <b>S\$ 3,190</b>	M I S	IE201 \$ 493	WSE920 S\$ 2,180	℅	Hardware & Labour C. S\$ 517
□ <b>S\$ 4,262</b>	s s	ME301 \$ 1,012	NWE601 S\$ 2,733	℅	Hardware & Labour C. S\$ 517
⊑ S\$ 2,788		VL1304 \$ 397	WL1304 S\$ 1,874		Hardware & Labour C. S\$ 517

### Total m<sup>2</sup>

Floor Plan




### Handicraft Service













#### **Estimate cost reference**

∧ <b>S\$ 6,501</b>	WSE920 S\$ 468	AluGlass	SE504 S\$ 3,106	Hard 5\$ 1,5
в S\$ 6,621	NWE601 \$\$ 588	AluGlass	SE504 S\$ 3,106	Hard 5\$ 1,5
c <b>S\$ 6,646</b>	ME201	AluGlass	WSE920 S\$ 3,213	Hard 5\$ 1,9
□ S\$ 7,992	5ME301 5\$ 1,038	AluGlass 11 (1) S\$ 1,391	NWE601 S\$ 4,027	Hard 5\$ 1,9
e S\$ 5,796	WL1304 5\$ 408	AluGlass	SL1001 S\$ 2,461	Hard 5\$ 1,9


### Total m<sup>2</sup>





rdware & Labour C. 1,536






#### Estimate cost reference

A <b>S\$ 5,471</b>	AluGlass \$\$ 2,821	Hardware & Labour C. S\$ 862
в S\$ 5,533	AluGlass \$\$ 2,821 W\$E920 \$\$ 1,850	Hardware & Labour C. S\$ 862
c <b>S\$ 5,272</b>	AluGlass S\$ 2,821 WL1304 S\$ 1,589	Hardware & Labour C. S\$ 862
□ S\$ 6,002	AluGlass \$\$ 2,821	Hardware & Labour C. S\$ 862

### Total m<sup>2</sup>



#### × 1 $\langle \rangle$ drawer ins.



### MELAME MFC/MFF DECOR PANEL (BUILT-IN FURNITURE/DOOR PANEL/EDGEBAND)

### BOARD SPECIFICATION

			THICKN	ESS/mm 🚠	8 (±0	1.3]	10 (±0.3)	18	(±0.6)	25 (±0.	6)	36 (±1)	
			BOARD SIZ	ZE L x W (mm)	L2800 x W2070							L2440	
		LENGTH	x WIDTH (mr	n) (MAX ATTAINABLE SIZE)				) x W204				W1220	
	S	PECIFICATIO	)N	SME (EGGER MFF)	-		-		CARB(P2)			-	
				SE, ME, WE (EGGER MFC)	(F****	]/MR	(F****)/M	R (F**	**)/MR	(F****)/	MR (F	****)/M	
RI		T (SGD)											
S/N	TYPE	COLOUR	CODE	DECOR NAME			PRICE/M <sup>2</sup>			w	EDGEBA	-	
			SIZE / THI	CKNESS (mm)	8	10	18	25	36	(mm)	(mm	) PRICE	
1			SME301 Δ	ALPINE WHITE MATT									
2			SME302 Δ	STONE GREY MATT	_	\$ 170	\$ 242	_	\$ 460	60	0.6	\$ 3.4	
3			SME303 Δ	LAVA GREY MATT		, •	, , , , , , , , , , , , , , , , , , , ,		<i>¥</i> 100	60		<i>¥</i> 5	
4	SME		SME304 Δ	BLACK MATT									
5	JHE	Carl P	SME305 Δ	LIGHT GREY CHICAGO CONCRETE MATT									
6		ALT.	SME306 Δ	LIGHT CONCRETE MATT			\$ 242		¢ 460				
7			SME307 Δ	SILVER GREY METAL SLATE MATT		-	Ş 242	.2 –	\$ 460		-	-	
8			SME308 Δ	BLACK GOLD METAL SLATE MATT									
9			SE501	PREMIUM WHITE									
10			SE504	CASHMERE GREY									
11			SE506	TRUFFLE BROWN									
12			SE507	LAVA GREY	\$ 67	-	\$105	5 \$123	\$188	188 100 46	0.5 1.0	\$ 2.7 \$ 2.3	
13			SE509	SOFT BLACK									
14			SE510	PEARL GREY									
15			SE511	DIAMOND GREY									
16	SE		SE512	APRICOT NUDE									
17			SE513	CARAMEL NUDE	]								
18			SE514	GARNET RED	]								
19			SE515	DENIM BLUE	]		¢ 105		ć 100	15		6.5.	
20			SE516	TYROLEAN BLUE		-	\$105	-	\$ 188	46	1.0	\$ 2.3	
21			SE517	INDIGO BLUE	]								
22			SE518	FJORD GREEN	]								
23			SE519	AMAZON GREEN									
24			ME201	BRUSHED BRASS METALLIC									
25	ME		ME202	PLATINUM GREY METALLIC	-	-	\$118	-	\$214	46	1.0	\$ 2.3	
26			ME203	INDIGO BLUE METALLIC									
27	WE		WE704	DARK BROWN CHARLESTON OAK	\$ 76		\$119	-	\$216	100 46	0.5 1.0	\$ 2.7 \$ 2.3	

Min. order area 0.1  $m^2$  for thickness 8, 16, 18, 25mm Min. order area 0.3  $m^2$  for thickness 36mm  $\Delta$  PERFECT MATT SERIES

## PRICELIST



\* Edgebanding hot melt adhesives (EVA)

### **BOARD SPECIFICATION**

THICKNE	ESS/mm 🛨	8 (±0.3)	18 (±0.6)	25 (±0.6)		36 (±1)
BOARD SIZ	(E L x W (mm)			L2440		
LENGTH x WIDTH (mr	n) (MAX ATTAINABLE SIZE)			W1220		
SPECIFICATION	WSE & NWE (EGGER MFC)	(F****)/MR	(F****)/MR	(F****)/MR	(	F****)/MR

### PRICELIST (SGD)

	TYPE	COLOUR	CODE	DECOR NAME		PRIC	E/M <sup>2</sup>			DGEBAN	D
S/N			SIZE / THI	CKNESS (mm) 🕂	8	18	25	36	W (mm)	T (mm)	PRICE/M
1			WSE910	NATURAL PACIFIC WALNUT	\$ 68	\$ 109	Ś 128	\$ 198	100	0.5	\$ 3.20
2			WSE911	NATURAL HICKORY	900 ¢	3 I U S	2 I C O	2 I 20	46	1.0	\$ 2.70
З		and the	WSE912	BROWN KANSAS OAK	\$ 68	\$109	\$128	\$198	46	1.0	\$ 2.70
4			WSE913	NATURAL DIJON WALNUT	\$ 68	\$ 109	\$ 128	\$ 198	100	0.5	\$ 3.20
5			WSE915	BLACK BROWN SORANO OAK	900 Ç	3 I U S	2 I C O	2 I 20	46	1.0	\$ 2.70
6			WSE916	NATURAL BROWN BRANSON ROBINIA	_	\$ 109	-	\$ 198	46	1.0	\$ 2.70
7			WSE917	TRUFFLE BROWN BRANSON ROBINIA	-	2 I 0 9	-	3 I 30	40	1.0	Ş 2.70
8	WSE		WSE918	LINCOLN WALNUT	\$ 68	\$109	\$128	\$198	100 46	0.5 1.0	\$ 3.20 \$ 2.70
9			WSE919	TRUFFLE BROWN DAVOS OAK	-	\$109	-	\$198	46	1.0	\$ 2.70
10			WSE920	BEIGE GREY LORENZO OAK	\$ 68	\$109	\$128	\$198	100 46	0.5 1.0	\$ 3.20 \$ 2.70
11			WSE921	NATURAL KENDAL OAK							
12		1930	WSE922	NATURAL NEBRASKA OAK							
13			WSE923	NATURAL LANCASTER OAK	-	\$109	-	\$198	46	1.0	\$ 2.70
14			WSE924	NATURAL CORBRIDGE OAK	4						
15			WSE925	NATURAL CARINI WALNUT							
16	NWE601 ¤	SAND GLADSTONE OAK					100 46	0.5 1.0	\$ 3.20 \$ 2.70		
					\$ 84	\$137	\$146	\$ 253	43	0.8	\$10.80
17			NWE606 ∞	TOBACCO GLADSTONE OAK					18 25	0.8	\$ 13.00
18			NWE608 ∞	WHITE GLADSTONE OAK	\$84	\$137	\$146	\$ 253	46 43	1.0 0.8	\$ 2.70 \$ 10.80
									18 25	0.8	\$13.00
19	NWE		NWE611∞	WHITE HALIFAX OAK					100 46	0.5 1.0	\$ 3.20 \$ 2.70
20			NWE612 ∞	NATURAL HALIFAX OAK	\$ 84	\$137	\$146	\$ 253	43	0.8	\$10.80
21			NWE613∞	TOBACCO HALIFAX OAK					18 25	0.8	\$13.00
22			NWE615 ∞	BROWN TOSSINI ELM	ć o t	6107	ć 140	é ara	45	1.0	6270
23			NWE616 ∞	GREY BEIGE TOSSINI ELM	\$ 84	\$137	\$146	\$ 253	46	1.0	\$ 2.70
24			NWE617 ∞	ANTHRACITE SHERMAN OAK	-	\$137	-	\$ 253	46	1.0	\$ 2.70
Min			for thicknow	s 8, 16, 18, 25mm					* Edgeba		

Min. order area 0.1 m<sup>2</sup> for thickness 8, 16, 18, 25mm Min. order area 0.3 m<sup>2</sup> for thickness 36mm © SYNCHRONISED WOODGRAIN TEXTURE \* Edgebanding hot melt adhesives (EVA)

### VIVID HIGH GLOSS ACRYLIC PANEL (ACRYLIC SHEET/PRESSED PANEL/DOOR PANEL)


#### BOARD SPECIFICATION

THICK	NESS/mm 🗼	0.8 (±0.1)	4 (±0.2)	19 (±0.5)	25 (±1)	36 (±1)			
	+ x WIDTH (mm)		W1220		200 (MAX ATTAI				
SUBSTRATE (18mm THICKNESS)				MDF					
SUBSTRATE (25	mm/38mm THICKNESS]		HYBRID COF	RE (MDF/BLOCK	BOARD/MDF)				
	LIGHT RESISTANCE		E	N ISO 4832-2+.	A1				
	SURFACE GLOSS		ASTM D	-523 (60°) Glo	ss Meter				
TECHNICAL	SCRATCH GLOSS	UNI 9428							
SPECIFICATION	DENSITY			ISO 1183					
	DRY HEAT RESISTANCE		EN 12722						
	RESISTANCE TO COLD LIQUIDS	5 EN 12720							
VIVID	P (P) PREMIUM		SURFACE &	BACKER ACRYL	IC FINISHES				
SPECIFICATION	ES – SOLID INGENUOUS	-	E2	CARB(P2)	-	-			
SECHEATION	EM – METALLIC CORDON BLEU	EU – E2 CARB(P2) –							
PICELIST (SGD) * Ear thickness: 4, 25, 36mm, placed call our sales representative for availability									

PRIC	ELIST (S	GD)		* For thic	kness: 4, 25, 3	6mm, please ca	all our sales re	presentative fo	or availability.
S/N	TYPE	COLOUR	DECOR	DECOR NAME	PRIC	E/PC			
5/14			THICKNE	SS/mm <u></u>	0.8	4	19	25	36
1			ES231	NATTY	\$ 158	\$ 263	\$ 286	\$ 398	\$ 467
2			ES232	SPLENDID	Ļ 190	÷ 205	ý LOO	÷ 550	, 407
З	ES		ES234	COUPLING	\$ 158	\$ 263	\$ 309	\$ 422	\$ 490
4			ES237	SPRUCE	\$ 158	\$ 263	\$ 310	\$ 422	\$ 491
5			ES238	OLIVE	\$ 158	\$ 263	\$ 304	\$ 417	\$ 485
6			EM261	CHALICE					
7	EM	and and	EM262	METIER	\$ 193	\$ 310	\$ 356	\$ 486	\$ 554
8			EM263	MAVEN	÷ 192	φ 310	\$ 320	÷400	¥5 د ډ
9		7	EM264	AURUM					

Min. order area 0.1 m<sup>2</sup>

### MELAME MFC DECOR PANEL (BEDROOM/BARN DOOR)



NOTE: PRICE EXCLUDE FITTINGS.

### **MICALITE DECORATIVE LAMINATE PANEL** (BUILT-IN FURNITURE/DOOR PANEL/EDGEBAND)

#### **BOARD SPECIFICATION**

THICKNE	ESS/mm 🕂	5 (±0.5)	18 (±0.5)	
BOARD SIZ	ΖΕ L x W (mm)	L2440 x W1220		
LENGTH x WIDTH (mn	n) (MAX ATTAINABLE SIZE)	L2420 x W1200		
SPECIFICATION	U,W,F,H (BLOCKBOARD)	-	LOW FORMALDEHYDE EMISSION	
SPECIFICATION	PU,PH (AQUAMAX PVCFB)	ULTRA-HIGH MOISTURE RESISTANCE		

### PRICELIST (SGD)

	COLOR	DECOR	ST	DECOR NAME	PRICE/M <sup>2</sup>		EDGEBAND				
S/N	SIZE / THICKNESS (mm) ↓		5	18	SIZE (mm)		PRICE/ROLL				
					W	Т	25m	50m	100m		
1		PU763	ST9	PEARL GREY	\$ 128	\$ 224	100	0.5	\$ 35	\$ 60	\$100
2		PU963	ST9	DIAMOND GREY	Υ <sup>120</sup>	ş c24	100	0.5	222	э 00	\$ 100
З		PH1137	ST22	BLACK BROWN SORANO OAK					\$ 40	\$ 70	\$ 130
4		PH1714	ST9	LINCOLN WALNUT	\$130	\$ 235	235 100	0.5			
5	Tel 1	PH3146	ST9	BEIGE GREY LORENZO OAK							

Min. order area 0.1 m<sup>2</sup>

\* Edgebanding hot melt adhesives (EVA)



PRICE PER PC				
UNI COLOUR (SE)	WOODGRAIN (NWE∞,WSE,WE)			
\$ 346	\$ 466			
\$ 389	\$ 526			
\$ 433	\$ 585			

### ALU FRAMED GLASS & DOOR PANEL (ALUGLASS/SLIDING DOOR) ALUGLASS DOOR SPECIFICATION

MELAME MFC/MFF DECOR PANEL (SHAKER DOOR)

### SHAKER DOOR SPECIFICATION



Min. door panel height/width 200mm

∞ SYNCHRONISED WOODGRAIN TEXTURE

**△ PERFECT MATT SERIES** 


CLASSIC SLIM Alu. Colours WHITE BLACK Glass Colou CLEAR BLACK GREY GLASS DOOR TYPE ALUMINIUM THICKNESS GLASS THICKNESS SLIM GLASS DOOR **‡**19mm ‡5mm CLASSIC GLASS DOOR **‡**26mm

Min. Height 150mm and Width 400mm for aluminium frame.

#### SLIDING DOOR SPECIFICATION



Min. Height 400mm and Width 700mm for door.



NOTE : PRICE EXCLUDE FITTINGS.



2) + (Door Height x 2) 1000 x PRICE PER METER = TOTAL AMOUNT

### E2 EXAMPLE CALCULATION SPREADSHEET

ТҮРЕ	PERIMETER	PRICE/M	TOTAL AMOUNT
SLIDING Door	$\frac{(A) (B)}{(1800 \times 2) + (500 \times 2)}_{1000} = 4.6$	\$ 117	\$ 538.20



VISIT US AT